



## ERA miGuard G5iP116

### Wirefree GSM/SMS RFID Touch Alarm System and WiFi HD Camera Kit


#### Summary:

The G5 Wirefree alarm system incorporates a Touch pad for a modern feel alarm system. The alarm uses GSM communication to send alerts via SMS for Alarm conditions, power failure, power recovery and low battery. The panel can be remotely monitored via phone. The built in loud speaker is ideal for a loud Siren conditions and use with two-way talking.

The miGuard IP116 camera is a Wireless WiFi operated IP camera that is compatible with the miGuard range of Alarms. Via the App, you get to see and hear what's going on in your property from anywhere in the world.

#### Features:

- GSM / SMS Communicating Alarm with integrated Mobile Phone Technology
- Controlled by SMS Text, App, Control Panel, Remote Control, RFID or Free Call
- Self-Monitoring with SMS notifications for Alarm, Emergency & Tamper
- Remote Monitoring with "Listen In" Feature
- Remote Arm and Disarm by SMS, App or Free Phone Call
- Arm, Part Arm, Disarm Modes (home arm has silent arming delay)
- Supports up to 50 wireless sensors, 10 remotes, 50 RFID tags
- Touch Keypad with Contact ID Protocol: - Call status light - GSM signal confirmation indicator - 5 x Phone numbers - 5 x SMS numbers - 1 x Speed dial - Hands free calling - Speed dial to master number - RFID swipe tag disarm: audio/visual confirmation - Listen-in feature with 2 way talk & monitoring - Voice memo feature - Internal Siren Volume: Off, Low, High - Siren time 1-9 Minutes
- RFID SMS notification number (up to 4 named tags)
- 95° field of view and 360° turning possibilities
- Crystal clear video even at low light
- Simultaneous viewing by multiple users
- WiFi Quick Link feature, allows quick setup times via the Free App
- Night Vision
- Bank-grade firewall for proper privacy protection



#### Key Features:

- Simple touch panel operation
- Built-in SIM to enable full remote operation including Arm & Disarm via SMS or App
- Automatic alerts for Intrusion, Emergency, Power Failure, Disarm and Flood
- Personalised text messages e.g. for when the Kids come home
- HD video quality at 720p
- Two-Way Audio Communication with the built-in microphone and speaker

#### Kit Includes:

- Panel(with battery backup and Siren) x 1
- WiFi Camera x 1
- Power Adaptors x 2
- Remote Control x 2
- RFID Tags x 2
- Door / Window Sensor x 1
- Pet Friendly PIR Motion Sensor x 1
- Installation and Operating Instructions
- All batteries, fixing and fittings

**Specification:**

<b>Product Name:</b>	<b>GSM/SMS/RFID Security Alarm System</b>
<b>Model No.:</b>	G5
<b>Control Panel's Power Supply:</b>	Input: AC 110~240V/50~60Hz Output: DC 12V/500mA
<b>GSM Working Frequency:</b>	850/900/1800/1900MHz
<b>Standby Current:</b>	110mA
<b>Alarm Current:</b>	340mA
<b>Internal Battery Backup:</b>	Lithium Battery: 3.7V/800mAh*2
<b>Battery Standby time:</b>	5 hours
<b>Internal Siren:</b>	95dB
<b>Allowed amount of expandable wireless Accessories:</b>	10pcs remote controls, 50pcs Wireless accessories, and 50pcs RFID tags
<b>Radio Frequency:</b>	433MHz
<b>Housing Material:</b>	ABS Plastic
<b>Operation Condition:</b>	Temperature: -10 °C ~ 55 °C Humidity: ≤ 80% (non-condensing)
<b>Size (L x W x H):</b>	Panel: 131mm x 188mm x 27mm
<b>EAN:</b>	5060215563337
<b>Outer Carton Qty:</b>	10
<b>Outer Carton Dimensions:</b>	460 x 325 x 388mm
<b>Outer Carton Weight:</b>	13.2Kgs

<b>Product Name:</b>	<b>HD WiFi Security Alarm Camera</b>
<b>Model No.:</b>	IP116
<b>Image Sensor:</b>	Sony 1/4" CMOS sensor
<b>Min. Illumination: Colour:</b>	0.02 Lux @ (F2.0, AGG ON)
<b>IR:</b>	0 Lux
<b>Shutter Time:</b>	1/50s to 1/100,000s
<b>Lens:</b>	2.4mm F2.0
<b>Angle of View:</b>	110°
<b>Video Compression:</b>	H2.64
<b>Bit Rate:</b>	Self-adaption
<b>Max. Image Resolution:</b>	1280 x 720
<b>Frame Rate:</b>	30fps (1280 x 720)
<b>Storage:</b>	Built-in microSD card slot, up to 32GB
<b>Wireless Standards:</b>	IEEE 802.11b/g/n
<b>Frequency Range:</b>	2.4 GHz ~ 2.4835 GHz
<b>Channel Bandwidth:</b>	20/40 MHz Support
<b>Operation Condition:</b>	Temperature: -30 °C ~ 60 °C Humidity: ≤ 95% (non-condensing)
<b>Power Supply:</b>	DC 5V 1A
<b>Power Consumptions:</b>	5W Max
<b>Size (L x W x H):</b>	91mm x 78mm x 115mm

## Accessories:



**IP116**  
Wireless WiFi IP Camera



**P910**  
Wireless Pet Friendly PIR  
Movement Sensor



**P700**  
Wireless Ceiling  
Mounted PIR Motion  
Sensor



**P800**  
Wireless Narrow Beam  
PIR Motion Sensor



**M102**  
Wireless Two-Way  
Magnetic Door /  
Window Sensor



**RC80**  
Wireless Remote Control  
Keyfob



**WI200**  
Wireless Water/Flood  
Detector



**WD80**  
Wireless Vibration  
Sensor



**SMK500**  
Wireless Smoke Alarm  
Sensor



**SPS260R / DS26R**  
Wireless Solar Siren /  
Replica Siren - Red Lens



**WS280**  
Wireless Outdoor Strobe  
Siren



**WS105**  
Wireless Mini Strobe  
Siren



**KP700**  
Wireless Keypad with  
RFID



**TAG26**  
Wireless RFID Proximity  
Tag



**RT101**  
Wireless Plug-in Range  
Extender



**SOS100**  
Wireless SOS Panic  
Button

Also Available: **PMR1** - Wireless PIR, Magnetic Sensor & Remote Accessory Pack